

---

**From:** Michael A Glagola (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=MIC0210]  
**Sent:** 5/13/2015 3:49:31 PM  
**To:** Rebecca D Kasczak (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=REBEC874f4]  
**Subject:** FW: Possum Point - RE: Water Sampling Plan and Source Separation  
**Attachments:** GAI-DOM-Possum Point Sampling Plan - Map and Matrix.pdf; Pumping Rates.pdf

**From:** John Klamut [mailto:J.Klamut@gaiconsultants.com]  
**Sent:** Monday, April 27, 2015 10:01 AM  
**To:** Jason Monnell; Oula K Shehab-Dandan (Services - 6); Kenneth Roller (Services - 6); Scott Quinlan; Amelia H Boschen (Services - 6); Michael A Glagola (Generation - 34)  
**Subject:** Possum Point - RE: Water Sampling Plan and Source Separation

Hello All,

For our discussion at 2:00 - I attached the sampling plan provided by Scott on Friday and a spreadsheet showing some estimated pumping rates for: 1) dewatering the ash and 2) stormwater run-on/run-off that may come in contact with ash.

Thanks,

John Klamut

**From:** Jason Monnell  
**Sent:** Monday, April 27, 2015 7:52 AM  
**To:** [oula.k.shehab-dandan@dom.com](mailto:oula.k.shehab-dandan@dom.com); [kenneth.roller@dom.com](mailto:kenneth.roller@dom.com); Scott Quinlan; [amelia.h.boschen@dom.com](mailto:amelia.h.boschen@dom.com); Michael A Glagola; John Klamut  
**Subject:** Water Sampling Plan and Source Separation

**Water Sampling Plan and Source Separation**

Scheduled: Monday, Apr 27, 2015 from 2:00 PM to 2:30 PM

Location: call - 1-800-406-9301 Access code - 273-149

Invitees: Oula K Shehab-Dandan (Services - 6), 'Kenneth Roller (Services - 6)', Scott Quinlan, 'Amelia H Boschen (Services - 6)'

**Jason D. Monnell**

**Design Manager**

**GAI Consultants, Inc.**

385 East Waterfront Drive  
Homestead, PA 15120-5005

412.476.2000 ext. 1572 | F 412.476.2020 | C 412-627-4202 |

CONFIDENTIALITY NOTICE: This communication contains confidential information belonging to the sender and may be legally privileged. This communication is solely for the use of its intended recipient. If you are not the intended recipient, inform the sender of the error and remove this email from your system. If this transmission includes any technical information, design data, and/or recommendations, they are provided only as a matter of convenience and may not be used for final design and/or construction.